Thursday, 12/14/2006 3:39:26 PM Kim Johnston **Process Sheet** : WEARPLATE : CU-DAR001 Dart Helicopters Services **Drawing Name** Customer Job Number : 29960 **Estimate Number** : 10298 : NA : D25773 Part Number P.O. Number - D2577 REV E S.O. No. : NIA : 12/14/2006 **Drawing Number** This Issue : N/A Prsht Rev. Project Number : MA : SMALL /MED FAB : E First Issue Туре **Drawing Revision** : 1/11/ : 29326 Material **Previous Run** : 1/10/2007 Each **Due Date** Qty: 30 Um: Written By Checked & Approved By Re-format; Incorporated D2577-101/-13 KJ/ Comment RF Est. C 06.07.21 waterjet **Additional Product** Job Number: Seq. #: Machine Or Operation: Description: M1010S16GA 1010/1025/A21/6aA SHEET 1.0 0.9240 sf(s)/Unit Total: Comment: Qty.: 27.7200 sf(s) 1010/1025/A21/6aA SHEET 0.063 thick 2.0 WATER JET Comment: FLOW WATER JET 1-Cut D2577-101 as per Dwg D2577 Dwg Rev: Prog Rev: 2-Deburr if necessary INSPECT PARTS AS THEY COME OFF MACHINE 3.0 QC2 01 03 Comment: INSPECT PARTS AS THEY COME OFF MACHINE 4.0 QC8 SECOND CHECK Comment: SECOND CHECK 5.0 SMALL FAB 1 SMALL & MEDIUM FAB RESOURCE 1 Comment: SMALL & MEDIUM FAB RESOURCE 1 Deburr 07301367


Dart Aerospace Ltd

| W/O: | | WORK ORDER CHANGES | | · · · · · · · · · · · · · · · · · · · | | | |
|------|------|--------------------|----|---------------------------------------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | Ву | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| 1.00 | | | | | • | | |
| , | | | | 24 | | | |
| | | | | | | , | |

| Part No: | PAR #: | Fault Category: _ | NCR: Yes NO DQA: | Date: <u>07/02/12</u> |
|----------|--------|-------------------|------------------|-----------------------|
| | 44 | - | QA: N/C Closed: | Date: |

| NCR: | | W | WORK ORDER NON-CONFORMANCE (NCR) | | | | | |
|------|------|---|----------------------------------|------------------------------|----------------|--------------|-----------|-------------|
| | | Description of NC Corrective Action Section | | | | Verification | Approval | Approval |
| DATE | STEP | Section A | Initial Chief Eng | Action Description Chief Eng | Sign & Date | Section C | Chief Eng | QC Inspecto |
| | | | | 7 | | | | |
| | | | | | =6 | • ; | | |
| -4. | | | | ; | | | | |
| | | | | ı | | | e e | |
| | | | | * | | | | |
| | | | | · | | | ī | |
| | | | | ! | | | | |

NOTE: Date & initial all entries



Dart Aerospace Ltd

| W/O: | WORK ORDER CHANGES | | | | | | | |
|------|--------------------|------------------|----|------|-----|-------------------------------------|--------------------------|--|
| DATE | STEP | PROCEDURE CHANGE | Ву | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector | |
| | | | | | | | | |
| | | | | | | | 1.7 | |
| | | | | + | | | | |
| | | | | | | | | |
| | | | | | | | | |

| Part No: | | PAR #: | Fault Category: | NCR: Yes I | No DQA: | Date: _ | |
|----------|------|-------------------|------------------------|--------------|--------------|----------|--------|
| | | | | QA: N/ | C Closed: | Date: _ | |
| NCR: | | \ | WORK ORDER NON-CONFO | DRMANCE (NCR | | | |
| | | Description of NC | Corrective Action | Section B | Verification | Approval | Approv |
| DATE | STEP | Castian A | Initial Action Descrip | otion Sign & | Cation | | Approv |

| | | Description of NC | | Corrective Action Section B | | Verification | Annroval | Annroval |
|------|------|-------------------|----------------------|------------------------------|----------------|--------------|-----------------------|--------------------------|
| DATE | STEP | Section A | Initial Chief Eng | Action Description Chief Eng | Sign & Date | Section C | Approval Chief Eng | Approval QC Inspector |
| | | * | | | | | | |
| | | | | | | | i | |
| | | | | | | | | |
| 1 | | | | | | | | |
| | | | | ÷ | - | | | |
| | | | | | | | , | |
| | | | · | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

ANY PURPOSE

유

D2577-1 & D2577-3 WEARSHOE

4.0 LONG

(TYP. 11 PLS.)

7560 HARDCOAT WELD

0.063 TO 0.125 HIGH

WELD AFTER BENDING AS ILLUSTRATED PER DT8308

MAKE FROM D2577-11 AND D2577-13 RESPECTIVELY FINISH: POWDER COAT GREY (4.3.5.6) PER DART QSI 005 4.3 TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED








| 02041 300 | UNCONTROL SUBJECT TO A WITHOU WORK NO. 22 | SHOP COPY RETURN TO RETURN TO | | |
|---------------------------------------|---|---|--------------------|--|
| D2941-300 SHWAYDER WEAPADS (8 PLACES) | 1 1 1 1 1 1 | SHOP COPY RETURN TO RETURN TO ENGINEERING ENGINEERING | SECTION A SCALE 1: | <u>-A</u> 5 |
| L= A - | 1.50 (TYP) | 0.12 (TYP) | 0.13 | -D2941-300 (REF) REMOVE POWDER COAT FROM THESE SURFACES |

D2577-21 & D2577-23 WEARSHOE MAKE FROM D2577-11 AND D2577-13 RESPECTIVELY FINISH: POWDER COAT GREY (4.3.5.6) PER DART QSI 005 4.3 TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

| DESIGN | DRAWN BY | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA |
|--------|--------------|--|
| SECK | (ED APPROVED | DRAWING NO. REV. E |
| ^ | 4 | D2577 SHEET 1 OF 5 |
| DATE | | TITLE SCALE |
| 00.0 | 00.09.22 | WEARSHOE 1:10 |
| Α | 96.09.16 | NEW ISSUE |
| σ | 96.12.04 | ADD HARDCOAT WELDS |
| ဂ | 97.05.30 | CHANGE HOLES TO OBROUNDS |
| D | 98.08.17 | CORRECTED DIMENSIONS ON -1 & -3 |
| m | 00.09.22 | ADD D2577-101/-11/-13 INCORPORATE DE09176 |
| | | |






D2577-101 FLAT PATTERN

BREAK ALL SHARP CORNERS 0.010 TO 0.020

MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570

SERIES STEEL 0.063 THICK

TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED



D2577-11 & D2577-13 LONGITUDINAL BEND MAKE FROM D2577-101

TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED



0 8



Ω

| C. C | DRAWN BY | DART AEROSPACE LTD |
|--|----------|--------------------|
| нескер | APPROVED | DRAWING NO. |
| + | t | D2577 SHEET |
| ATE | | וורב |
| 0.09.22 | | WEARSHOE |

N SCALE 웃

Copyright © 1996 by DART AEROSPACE AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS OTHER PERSON WITHOUT WRITTEN PERMISSION FROM LTD


NOT TO BE USED FOR ANY PURPOSE

OART AEROSPACE LTD.

S

COPIED

D2577-5 FLAT PATTERN 2.50 SEE DETAIL B ON PAGE 5 2.50 (REF) 2.43 (REF) 3.182 38.500 7 EQUAL SPACE 5.500 PITCH (REF) R0.129 NOTCH (2 PLACES) 43.50 -



D2577-5 WEARSHOE

BREAK ALL SHARP CORNERS 0.010 TO 0.020

MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570

SERIES STEEL 0.063 THICK

POWDER COAT GREY (4.3.5.6) PER DART QSI 005 4.3 TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED








| DESIGN. | S S | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA |
|----------|----------|--|
| CHECKED | APPROVED | DRAWING NO. |
| 4 | M | D2577 SHEET 3 OF |
| DATE | | TITLE |
| 00.09.22 | | WEARSHOE |


D2577-7 FLAT PATTERN



UNCONTROLLED COPY SUBJECT TO AMENDMENT SHOP COPY ENGINEERING RETURN TO

WITHOUT NOTICE

D2577-7 LONGITUDINAL BEND



D2577-7 WEARSHOE

BREAK ALL SHARP CORNERS 0.010 TO 0.020

MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570

SERIES STEEL 0.063 THICK

POWDER COAT GREY (4.3.5.6) PER DART QSI 005 4.3 FINISH: TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED





힏

| ESIGN _{AS} | DRAWN BY | DADT AFDACE |
|---------------------|----------|-------------------|
| ŧ | S | HAWKESBURY, ONTAR |
| HECKED | APPROVED | DRAWING NO. |
| 丰 | P | 02577 |
| ATE | | חורב |
| | | |

SHEET 4 OF







| DESIGN | DRAWN BY | DART AERO HAWKESBURY, O | |
|----------|----------|----------------------------|------------------------|
| CHECKED | APPROVED | DRAWING NO. D2577 | REV. E SHEET 5 OF 5 |
| DATE | | TITLE | SCALE |
| 00.09.22 | | WEARSHOE | 1:10 |

DETAIL B (SCALE 1:1)






DETAIL C (SCALE 1:1)



SECTION D-D (SCALE 1:1)



SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

| * | | | 2 |
|--------------------------|-----------------------|--------------|-------------|
| DART AEROSPACE LTD | | Work Order: | 29960 |
| Description: Wear plate | | Part Number: | D2571-3 |
| Inspection Dwg: D3577 Re | IV: E | | Page 1 of 1 |
| | ST ARTICLE INSPECTION | CHECKLIST | |
| | | rototype | |

| A Plist Afficie A Prototype | | | | | | |
|--|---------------|------------------|----------|--------|----------------------|----------|
| Drawing Dimension | Tolerance | Actual Dimension | Accept | Reject | Method of Inspection | Comments |
| vspected b | y template Da | 577-5 | 1 | | | |
| 3.)(1.51.51.51.51.51.51.51.51.51.51.51.51.51 | J | 3 | | | | |
| | | | <u> </u> | | | |
| | | | | | | |
| - | | | | | 41.4 | 7 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| · | | | | | | |
| | | | | | | |
| | • | | 12.101 | · . | - 3 | |
| | · · | | | | , | |
| | | | | | | |
| | | | | | | |
| | | | | ž. | | |
| | | | · · | | | |
| | | | | | | |
| | | | | | | - |
| | | | | | | |
| | | · | | | | |
| | | | | | | |
| | | | | - | | |
| | | - | | | | |

| Measured by: | Audited by: | Prototype Approval: | |
|----------------|----------------|---------------------|--|
| Date: 67/01/03 | Date: 07/01/03 | Date: | |

| Rev | Date | Change | | Revised by | Approved |
|-----|------|-----------|-----|------------|----------|
| A | | New Issue | : . | KJ/JLM | 0 |

